

Axis-P

Medium pressure axial fans

- Impeller type: Axial
- Casing material: Coated steel

Lineup	Maximum airflow, m³/h	Number of blades, pcs.	Blade setting angle, degrees	Impeller material
Axis-P 400-2D/0.55-6/25/AL	5700	6	25	Aluminium
Axis-P 400-2D/0.75-6/30/AL	6900	6	30	Aluminium
Axis-P 400-2D/1.1-6/35/AL	8300	6	35	Aluminium
Axis-P 400-2D/1.5-6/40/AL	9100	6	40	Aluminium
Axis-P 400-2D/2.2-6/45/AL	10200	6	45	Aluminium
Axis-P 400-2D/2.2-8/45/AL	10600	8	45	Aluminium
Axis-P 400-2D/0.55-6/25/PAG	5700	6	25	Fiberglass reinforced polyamide

 Axis-P 400-2D/0.75-6/30/PAG	6900	6	30	Fiberglass reinforced polyamide
 Axis-P 400-2D/1.1-6/35/PAG	8300	6	35	Fiberglass reinforced polyamide
 Axis-P 400-2D/1.5-6/40/PAG	9100	6	40	Fiberglass reinforced polyamide
 Axis-P 400-2D/2.2-6/45/PAG	10200	6	45	Fiberglass reinforced polyamide
 Axis-P 400-2D/2.2-8/45/PAG	10600	8	45	Fiberglass reinforced polyamide
 Axis-P 400-4D/0.12-6/30/AL	3450	6	30	Aluminium
 Axis-P 400-4D/0.18-6/35/AL	4130	6	35	Aluminium
 Axis-P 400-4D/0.18-6/40/AL	4540	6	40	Aluminium
 Axis-P 400-4D/0.25-6/45/AL	5100	6	45	Aluminium
 Axis-P 400-4D/0.37-8/45/AL	5280	8	45	Aluminium
 Axis-P 400-4D/0.12-6/30/PAG	3450	6	30	Fiberglass reinforced polyamide
 Axis-P 400-4D/0.18-6/35/PAG	4130	6	35	Fiberglass reinforced polyamide
 Axis-P 400-4D/0.18-6/40/PAG	4540	6	40	Fiberglass reinforced polyamide

 Axis-P 400-4D/0.25-6/45/PAG	5100	6	45	Fiberglass reinforced polyamide
 Axis-P 400-4D/0.37-8/45/PAG	5280	8	45	Fiberglass reinforced polyamide
 Axis-P 450-2D/0.75-6/25/AL	7500	6	25	Aluminium
 Axis-P 450-2D/1.1-6/30/AL	9000	6	30	Aluminium
 Axis-P 450-2D/1.5-6/35/AL	11100	6	35	Aluminium
 Axis-P 450-2D/2.2-6/40/AL	12400	6	40	Aluminium
 Axis-P 450-2D/3-8/40/AL	13000	8	40	Aluminium
 Axis-P 450-2D/4-8/45/AL	15000	8	45	Aluminium
 Axis-P 450-2D/0.75-6/25/PAG	7500	6	25	Fiberglass reinforced polyamide
 Axis-P 450-2D/1.1-6/30/PAG	9000	6	30	Fiberglass reinforced polyamide
 Axis-P 450-2D/1.5-6/35/PAG	11100	6	35	Fiberglass reinforced polyamide
 Axis-P 450-2D/2.2-6/40/PAG	12400	6	40	Fiberglass reinforced polyamide
 Axis-P 450-2D/3-8/40/PAG	13000	8	40	Fiberglass reinforced polyamide

 Axis-P 450-2D/4-8/45/PAG	15000	8	45	Fiberglass reinforced polyamide
 Axis-P 450-4D/0.12-6/25/AL	3700	6	25	Aluminium
 Axis-P 450-4D/0.18-6/30/AL	4500	6	30	Aluminium
 Axis-P 450-4D/0.25-6/35/AL	5600	6	35	Aluminium
 Axis-P 450-4D/0.25-6/40/AL	6200	6	40	Aluminium
 Axis-P 450-4D/0.37-6/45/AL	7100	6	45	Aluminium
 Axis-P 450-4D/0.55-8/45/AL	7500	8	45	Aluminium
 Axis-P 450-4D/0.12-6/25/PAG	3700	6	25	Fiberglass reinforced polyamide
 Axis-P 450-4D/0.18-6/30/PAG	4500	6	30	Fiberglass reinforced polyamide
 Axis-P 450-4D/0.25-6/35/PAG	5600	6	35	Fiberglass reinforced polyamide
 Axis-P 450-4D/0.25-6/40/PAG	6200	6	40	Fiberglass reinforced polyamide
 Axis-P 450-4D/0.37-6/45/PAG	7100	6	45	Fiberglass reinforced polyamide
 Axis-P 450-4D/0.55-8/45/PAG	7500	8	45	Fiberglass reinforced polyamide

 Axis-P 500-2D/1.1-6/25/AL	9300	6	25	Aluminium
 Axis-P 500-2D/1.5-6/30/AL	11600	6	30	Aluminium
 Axis-P 500-2D/2.2-6/35/AL	14200	6	35	Aluminium
 Axis-P 500-2D/3-8/35/AL	15200	8	35	Aluminium
 Axis-P 500-2D/4-8/40/AL	17200	8	40	Aluminium
 Axis-P 500-2D/5.5-8/45/AL	19600	8	45	Aluminium
 Axis-P 500-2D/1.1-6/25/PAG	9300	6	25	Fiberglass reinforced polyamide
 Axis-P 500-2D/1.5-6/30/PAG	11600	6	30	Fiberglass reinforced polyamide
 Axis-P 500-2D/2.2-6/35/PAG	14200	6	35	Fiberglass reinforced polyamide
 Axis-P 500-2D/3-8/35/PAG	15200	8	35	Fiberglass reinforced polyamide
 Axis-P 500-2D/4-8/40/PAG	17200	8	40	Fiberglass reinforced polyamide
 Axis-P 500-2D/5.5-8/45/PAG	19600	8	45	Fiberglass reinforced polyamide
 Axis-P 500-4D/0.18-6/25/AL	4600	6	25	Aluminium

 Axis-P 500-4D/0.25-6/30/AL	5800	6	30	Aluminium
 Axis-P 500-4D/0.37-6/35/AL	7100	6	35	Aluminium
 Axis-P 500-4D/0.37-6/40/AL	7900	6	40	Aluminium
 Axis-P 500-4D/0.55-6/45/AL	9200	6	45	Aluminium
 Axis-P 500-4D/0.75-8/45/AL	9800	8	45	Aluminium
 Axis-P 500-4D/0.18-6/25/PAG	4600	6	25	Fiberglass reinforced polyamide
 Axis-P 500-4D/0.25-6/30/PAG	5800	6	30	Fiberglass reinforced polyamide
 Axis-P 500-4D/0.37-6/35/PAG	7100	6	35	Fiberglass reinforced polyamide
 Axis-P 500-4D/0.37-6/40/PAG	7900	6	40	Fiberglass reinforced polyamide
 Axis-P 500-4D/0.55-6/45/PAG	9200	6	45	Fiberglass reinforced polyamide
 Axis-P 500-4D/0.75-8/45/PAG	9800	8	45	Fiberglass reinforced polyamide
 Axis-P 560-2D/1.5-6/25/AL	11200	6	25	Aluminium
 Axis-P 560-2D/2.2-6/30/AL	14100	6	30	Aluminium

 Axis-P 560-2D/3-8/30/AL	15500	8	30	Aluminium
 Axis-P 560-2D/4-8/35/AL	19700	8	35	Aluminium
 Axis-P 560-2D/5.5-8/40/AL	22100	8	40	Aluminium
 Axis-P 560-2D/7.5-8/45/AL	25700	8	45	Aluminium
 Axis-P 560-2D/1.5-6/25/PAG	11200	6	25	Fiberglass reinforced polyamide
 Axis-P 560-2D/2.2-6/30/PAG	14100	6	30	Fiberglass reinforced polyamide
 Axis-P 560-2D/3-8/30/PAG	15500	8	30	Fiberglass reinforced polyamide
 Axis-P 560-2D/4-8/35/PAG	19700	8	35	Fiberglass reinforced polyamide
 Axis-P 560-2D/5.5-8/40/PAG	22100	8	40	Fiberglass reinforced polyamide
 Axis-P 560-2D/7.5-8/45/PAG	25700	8	45	Fiberglass reinforced polyamide
 Axis-P 560-4D/0.25-6/25/AL	5600	6	25	Aluminium
 Axis-P 560-4D/0.37-6/30/AL	7000	6	30	Aluminium
 Axis-P 560-4D/0.55-6/35/AL	8800	6	35	Aluminium

 Axis-P 560-4D/0.55-6/40/AL	10100	6	40	Aluminium
 Axis-P 560-4D/0.75-6/45/AL	11700	6	45	Aluminium
 Axis-P 560-4D/1.1-8/45/AL	12800	8	45	Aluminium
 Axis-P 560-4D/0.25-6/25/PAG	5600	6	25	Fiberglass reinforced polyamide
 Axis-P 560-4D/0.37-6/30/PAG	7000	6	30	Fiberglass reinforced polyamide
 Axis-P 560-4D/0.55-6/35/PAG	8800	6	35	Fiberglass reinforced polyamide
 Axis-P 560-4D/0.55-6/40/PAG	10100	6	40	Fiberglass reinforced polyamide
 Axis-P 560-4D/0.75-6/45/PAG	11700	6	45	Fiberglass reinforced polyamide
 Axis-P 560-4D/1.1-8/45/PAG	12800	8	45	Fiberglass reinforced polyamide
 Axis-P 630-2D/3-8/25/AL	15000	8	25	Aluminium
 Axis-P 630-2D/4-8/30/AL	19000	8	30	Aluminium
 Axis-P 630-2D/5.5-8/35/AL	24300	8	35	Aluminium
 Axis-P 630-2D/7.5-8/40/AL	27800	8	40	Aluminium

 Axis-P 630-2D/9.2-6/30/AL	28800	6	30	Aluminium
 Axis-P 630-2D/11-6/32.5/AL	31100	6	32.5	Aluminium
 Axis-P 630-2D/11-6/35/AL	33400	6	35	Aluminium
 Axis-P 630-2D/15-6/37.5/AL	35400	6	37.5	Aluminium